

**INTERNATIONAL
FEDERATION OF
SURVEYORS**



**INTERNATIONAL
HYDROGRAPHIC
ORGANIZATION**



**INTERNATIONAL
CARTOGRAPHIC
ASSOCIATION**



**STANDARDS OF COMPETENCE
FOR CATEGORY "A" HYDROGRAPHIC
SURVEYORS**

**Publication S-5A
First Edition
Version 1.0.0 - August 2016**

Published by:
The International Hydrographic Organization
4b, quai Antoine 1er
B.P. 445
Monaco, MC 98011 Cedex
MONACO
info@iho.int
www.iho.int

Comments arising from the experience gained in the application of the guidance are welcome. They should be addressed to the Chairman of the International Board for Standards of Competence of Nautical Hydrographers and Nautical Cartographers at the above address. This document is published periodically. Please check with IHB for the latest edition, including current amendments.

© Copyright International Hydrographic Organization 2016

This work is copyright. Apart from any use permitted in accordance with the Berne Convention for the Protection of Literary and Artistic Works (1886), and except in the circumstances described below, no part may be translated, reproduced by any process, adapted, communicated or commercially exploited without prior written permission from the International Hydrographic Bureau (IHB). Copyright in some of the material in this publication may be owned by another party and permission for the translation and/or reproduction of that material must be obtained from the owner.

This document or partial material from this document may be translated, reproduced or distributed for general information, on no more than a cost recovery basis. Copies may not be sold or distributed for profit or gain without prior written agreement of the IHB and any other copyright holders.

In the event that this document or partial material from this document is reproduced, translated or distributed under the terms described above, the following statements are to be included:

“Material from IHO publication [reference to extract: Title, Edition] is reproduced with the permission of the International Hydrographic Bureau (IHB) (Permission No/...) acting for the International Hydrographic Organization (IHO), which does not accept responsibility for the correctness of the material as reproduced: in case of doubt, the IHO’s authentic text shall prevail. The incorporation of material sourced from IHO shall not be construed as constituting an endorsement by IHO of this product.”

“This [document/publication] is a translation of IHO [document/publication] [name]. The IHO has not checked this translation and therefore takes no responsibility for its accuracy. In case of doubt the source version of [name] in [language] should be consulted.”

The IHO Logo or other identifiers shall not be used in any derived product without prior written permission from the IHB.

1. INTRODUCTION

All components of the hydrographic surveying and nautical cartography profession face challenges as to how best to ensure the continuance of high standards and how best to ensure the continuation of best practices based on minimum standards of competence world-wide. In order to achieve these objectives, three international organizations (FIG, IHO and ICA) have developed Standards of competence that institutions or professional bodies may adopt for their educational/training programmes and competency schemes.

Standards indicate the minimum competences necessary for hydrographic surveyors. Standards recognize two levels of competence. Category "A" programmes introduces competences from the underlying principles level. Category "B" programmes introduce the competences from a practical level.

The intention is that a Category "A" individual with appropriate experience, would be a senior professional in their chosen field (government, industry, academia). Category "B" individuals with appropriate experience would be technical professionals leading and delivering products and services to meet specifications and outcomes.

2. DEFINITIONS

2.1 Subjects, topics, and elements

The S5-A standard contains the following list of *Basic subjects*, *Foundation Science subjects* and *Hydrographic Science subjects*:

B1 : Mathematics, statistics, theory of observations	7
B2 : Information and Communication Technology.....	8
B3 : Physics	9
B4 : Nautical science	10
B5 : Meteorology.....	12
F1 : Earth Models	13
F2 : Oceanography	15
F3 : Geology and geophysics	16
H1 : Positioning.....	18
H2 : Underwater Sensors and Data Processing	20
H3 : LiDAR and Remote Sensing	24
H4 : Survey Operations and Applications	25
H5 : Water Levels and Flow.....	28
H6 : Hydrographic Data Acquisition and Processing.....	30
H7 : Management of Hydrographic Data	32
H8 : Legal Aspects	33
CMFP : COMPLEX MULTIDISCIPLINARY FIELD PROJECT.....	35

Topics and Elements:

- Each **Foundation Science, Hydrographic Science** or **Basic** *subject* comprises a list of *topics* which are denoted by Bx.y, Fx.y, or Hx.y;
- Each *topic* contains *elements* which are denoted by Bx.y<c> Fx.y<c> or Hx.y<c>.

For example, the *subject* H1 “Positioning” contains the *topic* H1.1 Vessel and sensor reference frames that has the *element* H1.1a “Common reference frames for sensors”.

2.2 Learning outcomes and list of content

It is important to understand that each *element* is associated with:

- one or more intended *learning outcomes*, that a student should be able to achieve on completion of the programme. All *learning outcomes* should be assessed. This may be done through one of, or a combination of, the following: examination, assessed exercise or presentation, laboratory report, or final project work.
- a list of *content*. This list is associated with one or more *learning outcomes* and describes the theoretical knowledge or practical/technical context which the course syllabi should address in order to meet a particular *learning outcome*.

3. Programme preparation and submission

The preparation of a programme submission to the IBSC should be done in accordance with the document entitled GUIDELINES FOR THE IMPLEMENTATION OF THE STANDARDS OF COMPETENCE FOR HYDROGRAPHIC SURVEYORS. This document is available from the IHO website: www.iho.int → Standards & Publications.

The cross reference table is a mandatory requirement for a programme submission and **MUST** be completed. A template is specified and is available from the IHO website: www.iho.int

LIST OF ACRONYMS AND INITIALISMS USED IN THIS DOCUMENT

1D	One-dimensional
2D	Two-dimensional
3D	Three-dimensional
A	Advanced (level of knowledge)
ADCP	Acoustic Doppler Current Profiler
AIS	Automatic Identification System
ASV	Autonomous Surface Vehicle
AUV	Autonomous Underwater Vehicle
B	Basic (level of knowledge)
CAD	Computer Aided Design
CMFP	Complex Multidisciplinary Field Project
CW	Continuous Wavelength
DOP	Dilution of Precision
ECDIS	Electronic Chart Display and Information System
ECS	Electronic Chart System
ENC	Electronic Navigational Chart
EPIRB	Emergency Position Indicating Radio Beacon
F	Fundamental Sciences Subjects
FIG	International Federation of Surveyors
FOG	Fiber Optic Gyroscope
GEBCO	General Bathymetric Chart of the Oceans
GIS	Geographical Information System
GK	Gauss-Krüger
GLONASS	GLOBAL NAVIGATION Satellite System
GMDSS	Global Maritime Distress and Safety System
GNSS	Global Navigation Satellite System
GPS	Global Positioning System
GRS80	Geodetic Reference System (1980)
H	Hydrographic Sciences Subjects
HAT	Highest Astronomical Tide
I	Intermediate (level of knowledge)
IBSC	International Board on Standards of Competence for Hydrographic Surveyors and Nautical Cartographers
ICA	International Cartographic Association
IHO	International Hydrographic Organization
IMU	Inertial Motion Unit
INS	Inertial Navigation System
LAN	Local Area Network
LAT	Lowest Astronomical Tide
LiDAR	Light Detection And Ranging
MBES	Multi-Beam Echo Sounder
MEMS	Microelectromechanical systems
MSDI	Marine Spatial Data Infrastructure
MSI	Maritime Safety Information
MSL	Mean Sea Level
NAVTEX	Navigational Telex
NMEA	National Marine Electronics Association

NtoM	Notice to Mariners
P	Practicals (fieldwork and/or laboratories)
RAM	Random Access Memory
RINEX	Receiver Independent Exchange Format
RNC	Raster Navigational Chart
ROV	Remotely Operated Underwater Vehicle
S-44	IHO Publication S-44 - <i>Standards for Hydrographic Surveys</i>
S-100	IHO Publication S-100 <i>Universal Hydrographic Data Model</i>
S-102	IHO Publication S-102 <i>Bathymetric Surface Product Specification</i>
SARSAT	Search And Rescue Satellite Aided Tracking
SAS	Synthetic Aperture Sonar
SBES	Single Beam Echo Sounder
SG	Self-guided exercises (or student's personal independent work)
SQL	Structured Query Language
SSDM	Standard Seabed Data Model
T	Theoretical (theory through lectures)
TIN	Triangulated Irregular Network
UNCLOS	United Nations Convention on the Law of the Sea
UPS	Universal Polar Stereographic
USBL	Ultra Short Baseline
UTM	Universal Transverse Mercator
WWNWS	World Wide Navigational Warning Service
XML	Extended Markup Language

S-5A STANDARDS:

INTENDED LEARNING OUTCOMES AND ASSOCIATED CONTENT

1. BASIC SUBJECTS

B1 : Mathematics, statistics, theory of observations		
Element	Learning outcomes	Content
B1.1 Geometry and Linear Algebra		
B1.1a Geometry (B)	Express curves and surfaces in parametric form. Compute lengths and coordinates on an ellipse.	(i) Conic Sections, geometry of the ellipse and of the ellipsoid. (ii) Parametric equations of curves and surfaces.
B1.1b Linear Algebra (I)	Derive and compute 2D and 3D transformations, as typically involved in geodesy, surveying and survey data geo-referencing.	(i) Vector and affine spaces, vector and inner products, norms. (ii) Linear operators, matrix representation, composition, transpose. (iii) Translations, rotations, coordinate transformations, similitudes, orthogonal projection.
B1.1c Numerical methods for linear systems of equations (I)	Solve linear equations by numerical methods in a scientific computing environment and analyze error bounds.	(i) Systems of linear equations, Gauss elimination. (ii) Matrix decomposition, and factorization. (iii) Condition number of a matrix.
B1.2 Differential calculus and differential equations		
B1.2a Differential and integral calculus (B)	Apply differential calculus to real and vector valued functions from a n-dimensional vector space. Calculate integral of classical functions and approximate numerical values.	(i) Real and vector valued functions. (ii) Series, Taylor expansions (iii) Gradient of a real-valued functions. (iv) Jacobian matrix (v) Integrals of real-valued functions. (vi) Numerical integration methods.
B1.2b Differential equations (I)	Compute explicit solutions for linear ordinary differential equations and apply numerical methods to approximate solutions to non-linear differential equations.	(i) Linear ordinary differential equations, general solution with right hand side. (ii) Nonlinear differential equations, and linearization. (iii) Numerical methods for non-linear ordinary differential equations.

B1.2c Numerical solutions of non-linear equation (B)	Apply numerical methods to find approximate solutions for non-linear equations.	(i) Iterative methods. (ii) Rounding and numerical errors.
B1.3 Probability and statistics		
B1.3a Probabilities and Bayesian estimation (B, I)	Define probability measures, derive associated formulae and calculate values from data. (B) Select a distribution for a given random variable and apply a Bayesian estimation method. (I)	(i) Probability measures, density functions (ii) Mathematical expectation, variance (iii) Co-variance, correlation (iv) Conditional probabilities, Bayes law (v) Minimum mean square estimation (vi) Distributions including normal, chi-squared, t and F
B1.3b Statistics (I)	Compute confidence intervals and associated statistical measures for random variables using various distributions.	(i) Random variables, mean, variance, standard deviation (ii) Estimation of mean, variance, co-variance (iii) Statistical testing, confidence intervals
B2 : Information and Communication Technology		
Element	Learning outcomes	Content
B2.1 Computer systems (I)	Describe the different components of a real-time data acquisition system, including various modes of communication and time-tagging. Describe the role of a device driver and its relation to data exchange. Create/Configure a data link and evaluate any time delays across the link.	(i) Central Processing Unit (ii) RAM, data storage devices and standards (iii) Communication board, serial links, communication ports and standards, buffers, Ethernet links, data transmission rates (iv) Communication protocols (v) Clocks, clocks drift, time tagging and synchronization of data (vi) Operating systems (vii) Device drivers
B2.2 Office work software suites (B)	Use classical office work software suites. Prepare a poster describing scientific or project results.	(i) Word processors (ii) Spreadsheets (iii) Graphics software
B2.3 Programming (B)	Write a program or script for data format conversion and/or basic algorithm computation. Configure a small network and transfer data over that network	(i) Basic operations of a computer program or script (ii) Algorithms (loops, conditional instructions) (iii) Scientific computation environments (iv) Application to data exchange, file conversion

B2.4 Web and network services (B)	Describe the different network options used in remote data exchange and storage applications.	(i) Networks (LANs) (ii) Network and cloud storage (iii) Internet (iv) Networks integrity (v) Communication protocols
B2.5 Databases (B)	Describe different types of geospatial data and their representation. Construct a database, populate it and query its content using a database language, such as SQL.	(i) File types (binary, text, XML) (ii) Relational databases (iii) Geospatial databases (iv) Database management systems and query languages
B3 : Physics		
Element	Learning outcomes	Content
B3.1 Kinematics (B)	Explain the principle and the relationship between position, velocity and acceleration for both rotational and linear motion.	(i) Angular and linear velocities, accelerations (ii) Angular velocities addition rules, accelerations due to rotational motion, Coriolis Law
B3.2 Gravity (B)	Differentiate between inertial and Earth fixed frames. Differentiate center of gravity from center of instantaneous rotation. Develop the mathematical relationship between potential and acceleration in a gravitational field.	(i) The inertial frame (ii) Newton's law, forces, accelerations, energy (iii) Center of gravity, center of instantaneous rotation (iv) Gravitational field (v) Potential fields
B3.3 Magnetism (B)	Describe ferromagnetic properties and resulting magnetic field.	(i) Magnetic characteristic of ferrous bodies (ii) Magnetic field
B3.4 Waves (B)	Explain harmonics in the context of waves and resulting constructive and destructive interferences patterns from multiple waves and sources. Use the Decibel scale to define intensity and characterize attenuation. Explain the Doppler effect.	(i) Harmonic waves modeling and wave parameters (amplitude, frequency, wavelength, celerity and phase) (ii) Longitudinal and transverse waves (iii) Intensity, Decibel scale (iv) Attenuation (v) Doppler effect (vi) Interferometric principles
B3.5 Electromagnetic waves (B)	Calculate field of view and resolving power of optics. Describe aberrations. Describe the effect of wavelength on the propagation in a medium. Describe the effect of a medium in the propagation of an electromagnetic wave	(i) Electromagnetic waves properties and propagation (ii) Radiation, emission and absorption (iii) Reflection, refraction, diffraction (iv) Optical reflectance

B3.6 Geometrical optics (B)	Model a light ray-path through medium with various reflective and refractive properties. Use the characteristics of a lens to calculate geometrical properties of an image.	(i) Mirror, prisms, lenses and filters (ii) Telescopic optics and magnification (iii) Snell-Descartes law
B3.7 Lasers (B)	Describe the operation, unique properties, and applications of stimulated sources of emission.	(i) Principle of lasers (ii) Laser parameters (frequency, wavelength) (iii) Types of lasers (iv) Laser attenuation
B3.8 Transducers and clocks (B)	Describe different types of transducers and their calibration requirements. Describe time measurement devices in relation to their drift coefficient and accuracy.	(i) Pressure transducers (ii) Thermal transducers (iii) Types of clocks (iv) Measurement of elapsed time
B4 : Nautical science		
Element	Learning outcomes	Content
B4.1 Conventional aids to navigation (B)	Describe the characteristics and purposes of fixed and floating aids to navigation and the use of automatic identification systems.	(i) Types of buoys and beacons (ii) Radar beacons (iii) AIS systems
B4.2 GMDSS (B)	Describe the components and purpose of GMDSS.	(i) Sea areas (ii) EPIRBs and SARSAT (iii) Digital selective calling (iv) NAVTEX (v) SafetyNET (vi) Promulgation of Maritime Safety Information (MSI) (vii) World Wide Navigational Warning Service (WWNWS)
B4.3 Nautical charts (B)	Plan and layout a route on a nautical chart, enter/plot positions, identify navigational hazards and revise navigational plan as required. Describe the content of a nautical chart and explain datum, projection and scale. Describe the uncertainty indicators associated with nautical charts.	(i) Content, datum, projection, scale and types of nautical charts (ii) Chart symbols (iii) Chart graticules (iv) Uncertainty indicators (e.g. source diagram, reliability diagram, zone of confidence, notes) (v) Navigational hazards (vi) Plotting instruments (vii) ECDIS, ENC, RNC and ECS
B4.4 Navigation publications (B)	Use content of nautical publications in a survey planning context.	(i) Sailing directions, (ii) Light and radio lists, (iii) Tides and current tables (iv) Notice to Mariners (NtoM) and Urgent Notice to Mariners

B4.5 Compasses (B)	Describe the capabilities, limitations and sources of errors of magnetic and gyro compasses. Determine and apply corrections for magnetic and gyro compass error.	(i) Magnetic compasses (ii) Gyros (iii) Compass error and corrections
B4.6 Emergency procedures (B)	Explain the importance of the emergency equipment and procedures. Identify types of fire extinguishers and their use.	(i) Fire extinguishers (ii) Life preservers and cold water survival suits, life rafts (iii) Distress signals and EPIRB (iv) Procedures for man-overboard, fire, and abandoning ship
B4.7 Safe working practice (B)	Describe procedures for maintaining a safe working environment. Design safe cable routes for survey instruments. Define procedures for securing equipment for heavy weather.	(i) Water-tight doors and hatches (ii) Suspended loads (iii) Enclosed spaces (iv) Working aloft, with equipment over the side, life lines. (v) Work permitting (vi) Securing equipment for sea (vii) Cables and antenna installation (viii) Earthing (grounding) of electrical equipment (ix) High voltage electrical safety (x) Personal protective equipment
B4.8 Rope and wires (B)	Select and tie basic knots. Select appropriate wire or rope.	(i) Types of wire and rope (ii) Characteristics (stretch, floating, strength) of ropes and wires. (iii) Basic knots
B4.9 Towed and over the side instruments (I)	Specify procedures for deployment and recovery of oceanographic and hydrographic equipment.	(i) Rosette systems and instruments (ii) ROVs, AUVs, ASVs, towed systems, catenary and layback (iii) A-frames, cable blocks, electro-mechanical wire, wire strength factor for deep casts, slip rings and optical cabling (iv) Moon pools (v) Launch and recovery (vi) Station keeping and maneuvering
B4.10 Anchoring (B)	Describe ship and small boats anchoring and ground tackle. Explain how the final position of the vessel can be adjusted through the use of anchors.	(i) Shipboard ground tackle including anchor, chain, windlass, stoppers (ii) Small boat anchoring (iii) Multiple anchors
B4.11 Instrument moorings (I)	Specify types of mooring and procedures for mooring underwater instruments.	(i) Launch and recovery (ii) Anchors and acoustic releases (iii) Scope, wire, flotation, tension (iv) Weights

B5 : Meteorology		
Element	Learning outcomes	Content
B5.1 Weather fundamentals and observations (B)	<p>Define physical meteorological parameters</p> <p>Operate instruments and sensors used to register temperature, pressure, direction and intensity of wind. Record these parameters according to internationally accepted standards.</p> <p>Identify characteristics of weather by simple observation of the sea and the sky.</p>	<ul style="list-style-type: none"> (i) Vertical structure and the variability of the atmosphere (ii) Temperature, humidity, dew-point, frost-point (iii) Atmospheric pressure, winds (iv) Clouds and precipitations (v) Rain, snow (vi) Visibility, advection fog and radiation fog (vii) Pressure systems (viii) Geostrophic winds, anabatic and katabatic winds (ix) Instruments and sensors used to register temperatures, pressure, direction and intensity of wind
B5.2 Wind, waves and seas (B)	<p>Explain the relation between atmospheric pressure, temperature and wind.</p> <p>Describe wind circulation around pressure systems and the effect of friction</p>	<ul style="list-style-type: none"> (x) Sea state scales, weather warning categories, wave height, periods and direction
B5.3 Weather forecasting (B)	<p>Interpret a synoptic chart. Produce an operational short range forecast based on meteorological information, weather bulletins and facsimile charts.</p>	<ul style="list-style-type: none"> (i) Synoptic charts (ii) Weather forecast

2. FOUNDATION SCIENCE SUBJECTS

F1 : Earth Models		
Element	Learning outcomes	Content
F1.1 Physical geodesy		
F1.1a The gravity field of the Earth (B)	Describe relationships between the gravity field of the Earth, normal gravity and level surfaces.	(i) Newton's law of gravitation (ii) Centrifugal acceleration (iii) Gravity (acceleration) (iv) Gravity potential (v) Level or equipotential surfaces
F1.1b Gravity observations and their reduction. (B)	Explain methods for observing gravity and computation of gravity anomalies	(vi) The Geoid (vii) Normal gravity and ellipsoidal models such as GRS80. (viii) Gravity anomalies (ix) Gravity observations
F1.1c Height systems and height determination (B)	Describe different height models and the role of gravity-based heights in modern levelling networks.	(i) Dynamic heights (ii) Orthometric heights (iii) Normal heights (iv) Level ellipsoid (v) Theoretical misclosure of a leveling loop
F1.1d Geopotential and geoidal Modelling (I)	Describe techniques used to model the Earth's geopotential. Discuss the application and limitations of geopotential models and their verification in height determination.	(vi) Geopotential models (vii) High resolution global and local geoid grids (viii) Deflection of the vertical
F1.2 Coordinate Systems		
F1.2a Coordinate Systems for Positioning (I)	Explain principles of astronomic and geocentric datums together with their practical realizations.	(i) Traditional geodetic datums (ii) Terrestrial reference systems and reference frames. (iii) Modern geodetic datums based on terrestrial reference frames. (iv) Datum transformation techniques including similarity transformations and grid based approaches.
F1.2b Datum transformation techniques (A)	Compare datum transformation methods and transform coordinates between datums and between reference frames. Estimate transformation parameters from observations.	
F1.2c Geodetic computations on the ellipsoid (I)	Assess the various solutions available for forward and inverse computations on the ellipsoid. Compare grid and spherical methods with ellipsoidal computations.	(i) Grid computations and spherical trigonometry. (ii) Forward and inverse computations for geodesic and normal section curves on the ellipsoid.

F1.2d Three-Dimensional Geodetic Modeling (A)	Explain the mathematical model of 3D geodesy, integrating satellite and terrestrial observations. Evaluate a typical hybrid network, using commercial software. Describe application of 3D Geodesy to hydrographic survey control and 3D positioning of survey vessels.	(i) Local and global Cartesian coordinate frames. Reference to physical plumb line and ellipsoidal normal. Geoid heights and deflections of the vertical. (ii) 3D observation equations and 3D adjustment. Laplace equation.
F1.3 Land surveying methods and techniques		
F1.3a Trigonometric surveys (I)	Select appropriate methods and use corresponding instruments for local positioning.	(i) Principles of distance measurement and angle measurement (ii) Atmospheric and radiometric corrections for optical measurements. (iii) Calibration requirements and documentation
F1.3b Existing survey control (I)	Recover survey marks and associated documentation with an appreciation for the datum and accuracy associated with the historical survey.	(iv) Sextant (in legacy context) (v) Theodolite (vi) Total Station (vii) Intersection, Resection, Polar and Traverse
F1.3c Establishing survey control (I)	Establish terrestrial control using GNSS in accordance with published quality control procedures	(viii) Astronomic methods for determination of orientation. (ix) Establishing ground control using GNSS, distance and angle measurements.
F1.3d Instrument tests (I)	Field test and use distance and angle measurement instruments. Select appropriate field validation procedures	(x) Control station recovery (xi) Logistical aspects of providing control
F1.3e Historical surveys (B)	Relate historical surveys to legacy positioning systems.	
F1.4 Levelling		
F1.4a Levelling instruments (I)	Explain the principles of operation of instruments used in determination of height differences.	(i) Levelling instruments (ii) Total stations (iii) Effects of curvature and refraction (iv) Reduction of levels and correction to the relevant height datum
F1.4b Height reduction (A)	Conduct surveys in accordance with standards. Reduce elevation measurements and use adjustment procedures.	(v) Calibration requirements and documentation
F1.5 Map Projections		
F1.5a Map Projections (A)	Classify the properties of projections.	(i) Equidistant, equal area, azimuthal and conformal projections.

	<p>Use parameters associated with map projections to compute distortion and apply corrections between geodetic and grid coordinates.</p> <p>Use geometrical properties of map projections to contrast and compare the use of different projections for different applications.</p>	<ul style="list-style-type: none"> (ii) Properties and applications of cylindrical, conical and stereographic projections. (iii) Grids, graticules and associated coordinates. (iv) Convergence, scale factors and arc to chord corrections. (v) Worldwide cartographic systems Including UTM, GK and UPS.
F1.6 Trigonometry and least-squares		
F1.6a Trigonometry (B)	Apply plane and spherical trigonometry to surveying problems.	<ul style="list-style-type: none"> (i) Plane trigonometry (ii) Sphere, great circle, rhumb lines, spherical triangles and spherical excess
F1.6b Theory of observations (I)	<p>Differentiate between accuracy, precision, reliability and repeatability of measurements. Relate these notions to statistical information.</p> <p>Apply the variance propagation law to a simple observation equation, and derive an estimate uncertainty as a function of observations co-variances.</p>	<ul style="list-style-type: none"> (i) Measurements and observation equations (ii) Notion of uncertainty related to observations (iii) Accuracy, precision, reliability, repeatability (iv) Linearized observation equations and variance propagation law (v) Propagation of uncertainty in observations through multiple measurements (vi) Relative and absolute confidence ellipse
F1.6c Least squares (A)	<p>Solve geodetic problems by least squares estimation.</p> <p>Determine quality measures for least square solution to geodetic problems, to include reliability and confidence levels.</p>	<ul style="list-style-type: none"> (i) Least squares principle (ii) Covariance of observation (iii) Weighted least squares (iv) Orthogonal least square (v) Total Least Square (vi) Problems with explicit solutions (vii) Condition equations (viii) Covariance of estimated parameters (ix) Unit variance factor estimate (x) Internal and external reliability
F2 : Oceanography		
Element	Learning outcomes	Content
F2.1 Physical Oceanography and measurements		
F2.1a Water masses and circulation (I)	<p>Use the knowledge of spatial and temporal variability of the water masses to plan surveys.</p> <p>Establish a water column sampling regime for use within survey operations.</p>	<ul style="list-style-type: none"> (i) Global ocean circulation (ii) Mechanisms of regional circulation. (iii) Global and local water masses and their physical properties. (iv) World oceanographic databases (v) Seasonal and daily variability of temperature and salinity profiles. (vi) Types of estuaries and their associated salinity profiles.

F2.1b Physical properties of sea water (A)	Specify oceanographic sensors to measure physical properties of sea water. Apply appropriate equation to estimate density and speed of sound. Create a sound speed profile.	(i) Sound Velocity Profilers, Conductivity, Temperature, Depth sensors, Expendable probes. (ii) Units used in measuring and describing physical properties of sea water, normal ranges and relationships including: salinity, conductivity, temperature, pressure, density.
F2.1c Oceanographic measurements (I)	Specify equipment and procedures for oceanographic measurement to meet survey requirements. Configure and use oceanographic sensors and sampling equipment.	(iii) Sound speed equations (iv) Oceanographic sampling. (v) Oceanographic sensors: • Current meters • ADCP • Turbidity sensors and need for calibration
F2.1d Waves (B)	Outline wave generation processes. Describe the principles of wave measurement systems. Describe how beach survey monitoring strategies are related to wave regimes.	(i) Wave measurement by radar and buoys (ii) Wave parameters and elements involved in the wave growth process including fetch and bathymetry (iii) Tsunamis (iv) Breaking waves, long-shore drift and rip current processes in relation to beach surveys. (v) Beach profiles

F3 : Geology and geophysics

Element	Learning outcomes	Content
F3.1 Geology		
F3.1a Earth structure (B)	Describe the structure of the Earth and explain the relationship between Earth processes and bathymetric /topographic features of the Earth.	(i) Plate tectonics and other Earth processes (ii) Earthquakes zones (iii) Types of continental margins (iv) Ocean basins, trenches, ridges and other ocean floor features (v) Different types of rocks in the marine environment (vi) Subsidence and uplift
F3.1b Geomorphology (A)	Interpret geological information and relate expected seafloor features to hydrographic survey methodology and need for repeated hydrographic surveys.	(i) Types of coast (ii) Seafloor features and bed forms (iii) Erosion, transport and deposition (iv) Estuaries and inlets (v) Seafloor temporal variability (vi) Sediment sampling
F3.1c Substrates (I)	Predict seafloor type and characteristics based on observations of local geological information.	(i) Sediment types (ii) Outcropping rocks (iii) Submerged aquatic vegetation (iv) Corals
F3.2 Geophysics		
F3.2a Gravity fields and gravity surveys	Explain the principle of operation of gravity meters and the need for corrections.	(i) Gravity meters (ii) Relative and absolute gravity measurements

(B)	Discuss the objectives of gravity surveys in relation to seabed features.	(iii) Bathymetric corrections for gravity measurements (iv) Local gravity anomalies and gravity surveys (v) Influence of gravity on sea surface topography and correlation with seafloor features
F3.2b Magnetic fields (B)	Describe the Earth magnetic field, its spatial and temporal variability.	(i) Magnetic fields of the Earth (ii) Magnetic anomalies in relation to rock types and tectonic history (iii) Temporal variations (iv) Magnetic Earth models and databases
F3.2c Seismic surveys (I)	Evaluate coverage and penetration of systems and correlate equipment with applications. Distinguish between noise, outliers, and real seafloor features and sub-seafloor geometry	(i) Continuous reflection/refraction seismic profiling. (ii) Typical sound sources, receivers and recorders. (iii) Analogue high resolution seismic systems (including pinger, boomers, sparkers, chirp) (iv) Frequency and wavelength in relation to resolution and penetration (v) Equipment configuration for towing, launch and recovery (vi) Applications such as pipeline or hazard detection, seabed sediment identification for mapping, shallow sedimentary channels. (vii) Principles of seismic stratigraphy

3. HYDROGRAPHIC SCIENCE SUBJECTS

H1 : Positioning		
Element	Learning outcomes	Content
H1.1 Vessel and sensor reference frames		
H1.1a Common reference frames for sensors (A)	Specify a suitable vessel reference frame for sensor offsets and configure software to use values accordingly. Reconcile the application of offsets between various hardware and software components of the survey system.	(i) Identification of a common reference point and reference frame for the vessel (ii) Centre of rotation for the vessel (iii) Centers of measurement for sensors (iv) Sensor offset measurements.
H1.1b Integration of reference frames (A)	Define and apply appropriate transformations between the different frames in the navigation solution.	(i) Sensor body reference frames. (ii) Transformations between reference frames associated with sensor bodies, the vessel and local geodetic frame.
H1.2 GNSS positioning		
H1.2a GNSS Signals (I, B)	Describe the structure of signals broadcast by GNSS and explain the impact of the atmosphere on these signals. (I) Describe the characteristics of different components of GNSS and detail sources of information relating to the orbital and timing parameters. (B)	(i) GNSS Systems, such as GPS, GLONASS, Galileo, Beidou, etc. (ii) Signal structure. (iii) Frequencies, time keeping and logistical segments: Ground, Space, User. (iv) Broadcast almanac ephemerides and precise orbit information. (v) Ionospheric and tropospheric effects. (vi) Earth rotation information.
H1.2b GNSS observables (A)	Write observation equations for different GNSS observables and develop mathematical and stochastic models for the solutions that include earth rotation and ionospheric elements.	(i) Code phase and carrier phase observables, mixed observables. (ii) Differencing using carrier phase including single, fixed and float double, and triple differences. (iii) Corrections for earth rotation, ionosphere, and troposphere.
H1.2c Relative and absolute techniques (A)	Evaluate and select appropriate system for applications by aligning survey requirements with capabilities and limitations of GNSS techniques	(i) Differential and Wide area augmentation services. (ii) Real time kinematic and post-processed kinematic techniques. (iii) Precise Point Positioning techniques and services. (iv) System selection in alignment with survey requirements.
H1.2d Installation and operation (A)	Specify, supervise and test the installation of GNSS hardware and software for both inshore and offshore operations.	(i) Antenna installation to consider coverage, stability and multipath environment. (ii) Levels of redundancy in systems and communications

		(iii) Data exchange formats and protocols such as RINEX and NMEA
H1.2e Quality control (A)	Develop a quality control plan for GNSS operations including risk management associated with GNSS components and services. Assess the performance of GNSS positioning against the defined quality control criteria.	(i) Sources of error including multipath, atmospheric effects, base station network, sensor offsets, etc. (ii) Measures and monitoring of precision (DOP variations) and reliability (statistical testing). (iii) Integrity monitoring of base station data. (iv) Verification checks between systems or against known points.
H1.3 Inertial navigation systems		
H1.3a Accelerometers and gyroscopes, inclinometers, and compass (A)	Describe accelerometer technologies, and differentiate between inclinometers, compass and gyroscopes. Describe error sources associated with these devices.	(i) Accelerometers technology (pendulums, vibrating elements) (ii) Gyroscopes (FOG, Ring laser, Sagnac effect) (iii) MEMS (iv) Inclinometers (v) Flux gate compass
H1.3b Strapdown inertial measurement units (A)	Describe the technologies used in inertial measurements and quantify associated navigation errors. Undertake static alignment of an IMU. Develop strategies for mitigating induced heave and select filter parameters for heave estimation.	(i) Technologies available for IMU measurements through gyroscopes and accelerometers (ii) Sources of error in inertial sensors: bias; scale factor; and, noise. (iii) The inertial navigation equation and error equations. (iv) Static alignment of the IMU. (v) Heave estimation from gyros and accelerometers. (vi) Induced heave.
H1.3c Kalman filtering (I)	Apply Kalman filtering methods to a dynamic observation process. Define the parameters of a Kalman Filter in relation with sensors performances and dynamic model uncertainty. Differentiate between stationary and non-stationary observation processes	(i) Bayesian estimation (ii) State representation of a dynamic observation equation, observability (iii) Continuous, Semi-discrete and discrete Kalman filtering (iv) Optimal smoothing
H1.3d Aided inertial navigation (I)	Describe the role of aiding sensors to reduce INS navigation drift. Apply appropriate settings to filtering and smoothing for aided navigation solutions.	(i) INS and GNSS loosely and tightly coupled solutions. (ii) Velocity and ranging aided INS navigation. (iii) Dynamic and aided alignment of INS by Kalman filtering. (iv) INS solutions from IMU and other sensors by Kalman filtering and smoothing.

H1.4 Subsea positioning		
H1.4a Acoustic positioning principles (A)	Describe the signal structure and observables of mobile and fixed acoustic positioning devices. Relate observables and platform orientation to relative positions through observation equations.	(i) Long base line (ii) Short baseline (iii) Ultra-short baseline (iv) Doppler velocity log (v) Transponders (vi) Acoustic modems (vii) Subsea INS
H1.4b Acoustic positioning systems (A)	Explain how acoustic positioning observables, orientation and surface positioning data are used to achieve subsea rover spatial referencing. Specify the deployment and calibration methods for fixed and mobile acoustic positioning systems.	(viii) Water column structure (ix) Acoustic ray multipath (x) Time synchronization
H1.4c Acoustic positioning error analysis (I)	Compute the total propagated uncertainty in acoustic positioning, accounting for time, sound speed and other observable errors.	
H1.4d. Acoustic positioning applications (B)	Identify appropriate acoustic positioning solutions for different applications, considering potential sources of error.	(i) Towed vehicles (ii) Autonomous vehicles (iii) ROVs (iv) Surface vessel dynamic positioning (v) Engineering and installation (vi) Metrology
H1.5 Line keeping		
H1.5a Track guidance (B)	Specify the methods to be used in maintaining a survey vessel or remote survey system on a planned survey line or route and meeting sounding density specifications. Describe what may occur if the real-time navigation systems are interrupted during a survey. Explain how to compensate and mitigate for the effects of strong currents across a survey area/in a river estuary.	(i) Track guidance and route following information systems. (ii) Tolerances for track guidance in compliance with survey specifications and positioning system precision. (iii) Maintaining uniform sounding density in swath systems. (iv) The impact of the environment on the line keeping and data density (v) Options for accepting filed data when the navigation or line keeping is not optimal.
H2 : Underwater Sensors and Data Processing		
Element	Learning outcomes	Content
H2.1 Underwater acoustics		
H2.1a Transducers and generation of acoustic waves (I)	Analyze the effect of transducer design on beam characteristics and performance.	(i) Piezoelectric principles (ii) Transducer arrays design, beam-forming, side lobes. (iii) Transducer Quality factor

	<p>Describe the design and use of multi-frequency, wide-bandwidth and parametric transducers.</p> <p>Differentiate between chirp and CW transmission, and characterize their relative performance.</p> <p>Determine source level from typically available sonar specification.</p>	<p>(iv) Plane and spherical waves in terms of wavelength, amplitude and frequency.</p> <p>(v) Absorption, spherical spreading</p> <p>(vi) Frequency, attenuation relationship to range</p> <p>(vii) Acoustic units, intensities and sound levels</p> <p>(viii) Signal to noise ratio</p> <p>(ix) Active Sonar Equation including sound source, causes of propagation loss in relation to water properties together with characteristics of the sea floor and targets, acoustic noise level and directivity</p>
H2.1b Propagation of acoustic waves (A)	<p>Explain how properties of the acoustic medium and source frequency affect the propagation of acoustic waves.</p> <p>Calculate propagation loss in practical situations, using medium property observations and available tables.</p>	<p>(x) Continuous Wavelength (CW), Chirp transmission</p> <p>(xi) System parameters including bandwidth, pulse length, pulse repetition rate, gain, detection, threshold.</p>
H2.1c Acoustic noise (I)	<p>Identify the sources of noise and describe the effect of noise on echo sounding. Define the directivity index.</p> <p>Calculate the effect on sonar range of a variety of noise conditions and sonar directivity circumstances.</p>	<p>(xii) Range resolution and spatial resolution.</p> <p>(xiii) Dynamic range, clipping and saturation</p> <p>(xiv) Sound speed profile and gradient</p> <p>(xv) Ray-tracing theory</p> <p>(xvi) Sound channel</p> <p>(xvii) Non horizontal sound speed layers</p>
H2.1d Reflection, scattering and system performance. (I)	<p>Define the characteristic impedance of an acoustic medium.</p> <p>Assess the effects of varying seafloor composition, texture, and slope on echo strength.</p>	
H2.1e Refraction and ray-tracing. (A)	<p>Use the sound speed profile to compute the path of sound ray through the water column.</p>	
H2.2 Single beam systems		
H2.2a Single beam echo sounders principles (I)	<p>Explain the principles of operation of a single beam sounder detailing how acoustic parameters influence sounder returns.</p>	<p>(i) Single beam, split beam and dual beam concepts</p> <p>(ii) Beam footprint</p> <p>(iii) Specification of a single beam echo sounder.</p> <p>(iv) Bottom detection principles (matched filtering, thresholding) and range resolution.</p>
H2.2b Single beam returns interpretation (A)	<p>Interpret single beam returns including analysis of full echo envelopes and features of the sea bed and water column.</p>	<p>(v) Full echo envelope returns and bottom characterization</p>

H2.2c Single beam survey system (A)	Specify survey system to perform a single beam survey in accordance with application requirements. Select appropriate range, scale, frequency and pulse for specific applications in relation to spatial resolution, bottom penetration, depth of water and water column analysis.	(i) Components of a single beam echo sounder system to include: positioning system, motion sensor, acquisition system, source of reference level (i.e. tide gauge, GNSS) (ii) Acoustic parameters of single beam echo-sounders (iii) Reduction of soundings to the specified datum
H2.2d Processing of single beam data (I, A)	Specify processing workflow for single beam data. (I) Integrate and merge data of various sources and of various types in preparation for product generation. (A)	(i) Systematic effects in system components: <ul style="list-style-type: none"> • Single Beam Echo-Sounders • IMU/INS • Sound speed profilers and other peripheral sensors (ii) Single beam echo sounders data processing workflows
H2.3 Sonar imagery systems		
H2.3a Side-scan sonar systems (A)	Evaluate, select and configure side-scan sonar in alignment with survey operational needs.	(i) Principles, components and geometry of side scan sonar systems (ii) Range, beam angle (iii) Resolution in relation to beam width, sampling rate angle of incidence and pulse length.
H2.3b Synthetic Aperture Sonar (I)	Discuss and compare the use of SAS with that of more conventional sonar imaging systems.	(i) Principles of synthetic aperture imaging
H2.4 Swath echo sounder systems		
H2.4a Multi-beam echo sounders (A, I)	Explain the basic principles of multi-beam sonar transmit and receive beam forming and beam steering. (I) Explain the effect of aperture size and element spacing on array performance. (I) Analyze the techniques of amplitude and phase methods of bottom detection and relate them to depth uncertainty. (A)	(i) Principles and geometry of multi-beam sonar systems (ii) Combination of transducer elements into transmit and receive arrays. (iii) Beam stabilization and beam steering (iv) Amplitude and phase bottom detection (v) Variations in beam spacing and footprint size (vi) Backscatter recording modes (e.g., beam average, side scan time series, beam time series) (vii) Backscatter and seabed classification (viii) Water column data (ix) Power, gain, pulse length (x) Multiple signal returns, aliasing of multiple signals in the water.
H2.4b Multi-beam system parameters (A)	Tune acoustic parameters on-line for depth <i>and</i> backscatter. Determine the beam footprint size and sounding spacing across the swath and assess the limitations and likelihood of detecting objects on the seafloor under varying surveying conditions.	

	Explain the use of water column returns and differentiate from bottom detection.	
H2.4c Multi-beam systems (A)	Specify survey system to perform a multi-beam survey in accordance with application requirements.	(i) positioning system, telemetry, motion and attitude sensors, (ii) acquisition system, (iii) source of reference level (i.e. tide gauge, GNSS), (iv) Sound Speed measurements
H2.4d Multi-beam data processing (A)	Describe how and where data elements are combined to produce geo-referenced soundings. Integrate and merge data elements in preparation for data processing.	(i) Multi-beam data elements: (ii) Beam and travel-time data (iii) IMU/INS (iv) Positioning data (v) Time stamping (vi) Offsets between sensor reference points (vii) Sound speed profile (viii) Data file formats
H2.4e Interferometric Sonar (A)	Analyze the principles and geometry of interferometry and phase differencing bathymetric sonars and the arrangement of transducer arrays. Explain the need for filtering phase measurement data for depth, object detection and backscatter. Explain the effect of aperture size and transducer geometry on array performance. Assess the relative merits of multi-beam and phase differencing systems for specific mapping applications in water depths from very shallow to full ocean depths.	(i) Principles and geometry of interferometric (phase measurement) sonar systems (ii) Sounding determination principles (iii) Mounting methods and towing (iv) Transducers arrangement (v) Sounding filtering and binning techniques
H2.5 Backscatter		
H2.5a Backscatter from side scan, interferometric swath sonars and multi-beam echo sounders (A)	Specify and configure a side scan sonar and a swath echo sounder for backscatter acquisition under varying environmental conditions and for specific application. Monitor and assess quality on-line and apply appropriate compensation. Apply backscatter principles to produce a compensated backscatter mosaic.	(i) Relationship between backscatter content and characteristics of the seabed, water column properties and acoustic signal parameters (ii) Generation of backscatter information within acoustic systems (iii) Principle of backscatter compensation for absorption, incidence angle, gain and power (iv) Mosaicing

H3 : LiDAR and Remote Sensing		
Element	Learning outcomes	Content
H3.1 LiDAR		
H3.1a Airborne LiDAR systems (A)	Determine the applicability of topographic and bathymetric LiDAR to specific mapping applications. Specify the appropriate LiDAR technology for given applications and identify supporting survey operations required to conduct the survey and process data.	(i) Wavelength, water penetration, ground detection and laser safety. (ii) Scanning frequency and pattern in relation to power, coverage and spatial density. (iii) Influence of sea surface roughness, water column turbidity on the beam pattern and penetration. (iv) Sea bed optical characteristics and bottom detection.
H3.1b Airborne LiDAR data products (I, A)	Identify potential sources of error in combined topographic and bathymetric LiDAR data and apply corrective processing techniques as appropriate. (I) Evaluate results (x,y,z) of specific bathymetric LiDAR surveys for compliance with hydrographic requirements. (I) Explain how to incorporate information from full waveform analysis in the production of LiDAR mapping products. (A)	(v) Influence of seabed on reflectance (vi) Relationship between full waveform signature and seabed characteristics. (vii) Secchi disc and Secchi depth (viii) Impact of structure and canopy on topographic LiDAR (ix) Optical characteristics of coastal terrain. (x) Influence of geometry and waveform on feature detection. (xi) Integration of components including time stamping, attitude compensation, sensor offsets and networking.
H3.1c Terrestrial LiDAR (B)	Determine situations where terrestrial and vessel-based LiDAR data can be used to complement other coastal and offshore spatial data. Explain the need for calibration and validation of vessel-based LiDAR and describe how data from such system will be integrated with other data streams.	(xii) Sources and levels of uncertainty associated with LiDAR data and products. (xiii) Combined bathymetric and topographic LiDAR systems (xiv) Vessel-based LiDAR
H3.2 Remote Sensing		
H3.2a Remotely sensed bathymetry (I)	Explain and compare the methods that enable depth to be determined from wavelength together with optical properties of both the water and the seabed.	(i) Multispectral imagery and water penetration in relation to wavelength (ii) Optical properties of sea water. (iii) Model based and empirical inversion methods for determining bathymetry. (iv) Atmospheric corrections. (v) Spatial resolution and accuracy in position and depth. (vi) Reflectance properties of the sea floor.
H3.2b Satellite altimetry (B)	Describe the principles and limitations of satellite altimetry products including sea-surface	(i) Missions and sensors (ii) Products

	topography and derived bathymetry	
H3.2c Optical methods of shoreline delineation (I)	Describe geometrical properties of images and principles of orthorectification. Explain how imagery can be used in planning survey operations and in supporting hydrographic products. Compare image based methods with those of LiDAR for shoreline delineation	(i) Color imagery and multispectral imagery. (ii) Reflectance of multispectral imagery in relation to wavelength and terrain characteristics. (iii) Use of imagery in shoreline mapping and identification of other topographic features. (iv) Uncertainty associated with map features derived from imagery. (v) Geometrical properties of satellite images and aerial photographs
H4 : Survey Operations and Applications		
Element	Learning outcomes	Content
H4.1 Hydrographic survey projects		
H4.1a Hydrographic survey requirements (A)	Establish procedures required to achieve quality standards in hydrographic surveys. Specify the type of survey system and equipment needs together with associated parameters and procedures for various components of the overall survey operation. Evaluate the impact of local physical and environmental factors on survey results.	(i) IHO S-44 and other survey quality standards. (ii) Underkeel clearance (iii) Procedures and installations required to conduct hydrographic surveys of specific types, for example: <ul style="list-style-type: none"> • Nautical charting survey • Boundary delimitation survey • Ports, harbor and waterways surveys. • Engineering works and dredging surveys • Coastal engineering surveys • Inland surveys • Erosion and land-sea interface monitoring • Oceanographic surveys • Deep sea and ROVs /AUVs surveys • Seismic, gravity and geomagnetic surveys • Pipeline route, pipeline installation, inspection and cable laying surveys • Wreck and debris surveys.
H4.1b Hydrographic survey project management (A)	Prepare hydrographic specifications, instructions and tenders associated with survey objectives. Estimate the resources, scheduling and timing associated with hydrographic projects and prepare project plans including health and	(i) Hydrographic instructions and tenders. (ii) Estimating and drafting survey work plans and schedules (iii) Risk assessment in survey operations associated with the proposed work plan. (iv) Assessment and reporting of work progress against the work plan (v) Health and safety compliance

	<p>safety requirements, environmental issues and emergency response.</p> <p>Define, assign and distribute the roles and responsibilities of individuals within a survey team.</p> <p>Prepare progress reports and submit interim project deliverables.</p>	<p>(vi) Environmental impact of survey activities</p> <p>(vii) Emergency Response Situations and Plan</p>
H4.2 Hydrographic survey operations		
<p>H4.2a Survey planning</p> <p>(A)</p>	<p>Plan survey lines and schedule to accommodate environmental and topographic conditions for the vessel or aircraft and for towed, remote and autonomous vehicles.</p>	<p>(i) Components of survey planning including on-board equipment, platform's dynamic positioning, remote installations, data from satellites and telemetry links.</p> <p>(ii) Planning of survey operation considering general depth, bottom character, water column variability, weather, currents, tides, coastal features and vessel/flight safety.</p> <p>(iii) Logistical considerations for survey operations</p> <p>(iv) Maintaining safe working conditions.</p>
<p>H4.2b Single Beam operations</p> <p>(A)</p>	<p>Specify survey procedures and quality assurance practices to perform a single beam survey in accordance with application requirements.</p> <p>Select appropriate range, scale, frequency and pulse repetition rate for specific application in relations to spatial resolution, bottom penetration, depth of water, and water column analysis.</p>	<p>(i) Transducer mounting</p> <p>(ii) Calibration techniques and requirements</p> <p>(iii) Line spacing, orientation and line planning</p> <p>(iv) Causes and effects of motion artefacts and water properties artefact on data</p> <p>(v) Integration with ancillary systems</p> <p>(vi) Compensation for vessel motion, attitude, dynamic draft</p> <p>(vii) Feature development</p> <p>(viii) Data logging parameters</p>
<p>H4.2c Multi-beam and Interferometric operations</p> <p>(A)</p>	<p>Specify survey procedures and quality assurance practices to perform a multi-beam or interferometric survey in accordance with application requirements.</p> <p>Identify deficiencies in multi-beam echo sounder or interferometric sonar data, relate issues encountered to system or operational factors and respond appropriately.</p>	<p>(i) Selection of platform and deployment (hull mount, pole mount, AUV, ROV)</p> <p>(ii) Swath coverage and resolution</p> <p>(iii) Object detection</p> <p>(iv) Sound speed profile</p> <p>(v) Survey speed in relation to system parameters</p> <p>(vi) Causes and effects of motion artefacts and water property artefacts on data</p> <p>(vii) Swath planning</p> <p>(viii) Calibration methods and procedures</p> <p>(ix) Ancillary sensors and integration</p> <p>(x) On-line monitoring of data being acquired</p> <p>(xi) Uncertainty models</p>

H4.2d Magnetic surveys (I)	Describe the capabilities and limitations of magnetometers and gradiometers in conducting object detection surveys.	<ul style="list-style-type: none"> (i) Operating principles and sensitivity characteristics of magnetometers and gradiometers (ii) Deployment of magnetometers and gradiometers and planning of magnetic surveys (iii) Objectives of magnetic surveys in the detection of objects such as pipelines, cables, ordnance, debris, wrecks. (iv) Display and interpretation of magnetometer and gradiometer data.
H4.2e Airborne LiDAR surveys (I)	<p>Specify survey procedures and quality assurance practices to perform a LiDAR survey in accordance with application requirements.</p> <p>Specify LiDAR coverage and data density requirements for a survey.</p> <p>Assess LiDAR survey data (xyz point cloud and resultant depth grid) for adequacy and quality of overlap with adjacent acoustic survey data.</p> <p>Consider operational and environmental conditions in planning LiDAR surveys.</p>	<ul style="list-style-type: none"> (i) Calibration techniques and requirements (ii) Flight line spacing, ground speed, orientation and aircraft turning characteristics (iii) Environmental factors affecting data coverage (i.e., sunlight, clouds, rain, smoke, sea conditions, etc.)
H4.2f Side scan sonar operations (A)	<p>Design and conduct a side scan sonar survey as part of an integrated data acquisition system in compliance with survey objectives.</p> <p>Explain and identify the effects of stratification of the water column and develop mitigating strategies for surveying in a variety of environmental conditions.</p>	<ul style="list-style-type: none"> (i) Selection of platform and deployment (tow, hull mount, AUV) (ii) Elevation above the seafloor. (iii) Swath coverage (iv) Survey speed in relation to sonar system parameters (v) Towfish positioning (vi) Target aspect (vii) Effects of motion and water properties on images (viii) Layback calculations
H4.2g Side-scan sonar data interpretation (A)	<p>Interpret side scan sonar imagery through assessment of individual and overlapping swaths to identify potential sonar targets for further investigation.</p> <p>Interpret side scan sonar imagery to assess differences in seafloor composition and topography.</p>	<ul style="list-style-type: none"> (i) Side scan sonar backscatter and sea floor reflection. (ii) Side scan images and mosaicking (iii) Sources of distortion and artefacts from water column properties, motion (iv) Determination of height, size and position of seafloor features (v) Sonar signature of wrecks, pipelines, gas, fish and fresh water, etc.
H4.3 Seabed characterization		
H4.3a Classification	Explain the concept of incidence angle dependence and describe the	<ul style="list-style-type: none"> (i) SBES full echo envelope

from acoustic data <i>(I)</i>	signal processing steps required to obtain corrected backscatter data for seafloor characterization. Explain the techniques available and their limitations for observing, interpreting and classifying differences in seabed characteristics from acoustic sensors.	(ii) Sub-bottom profiler full echo-envelope (iii) Side scan sonar images (iv) Synthetic aperture sonars images (v) Side scan sonar and swath echo sounders backscatter information (vi) Ground-truthing
H4.3b Classification from optical data <i>(B)</i>	Explain the techniques available and their limitations for observing and interpreting differences in seabed and inter-tidal zone characteristics from optical sensors.	(i) Hyperspectral and multispectral sensors images (ii) Underwater cameras (iii) LiDAR (iv) Ground-truthing
H4.3c Seabed sampling <i>(I)</i>	Plan a sampling campaign to classify the seabed as part of a survey. Use remotely sensed information to select sampling sites.	(i) Grabs (ii) Corers (iii) Use in ground-truthing
H4.3d Seabed characterization <i>(I)</i>	Consider the combination of remotely sensed information with seabed samples in a seafloor characterization survey. Apply classification standards to seabed characterization results.	(i) Classification standards (ii) Classification methods
H5 : Water Levels and Flow		
Element	Learning outcomes	Content
H5.1 Principles of Water Levels		
H5.1a Tide theory <i>(I)</i>	Characterize features of the tide in terms of tide raising forces and local hydrographic features.	(i) Tide generating forces, the equilibrium and real tides. (ii) Tide constituents and different types of tide. (iii) Amphidromic points and co-tidal and co-range lines. (iv) Geomorphological and basin influences on tidal characteristics
H5.1b Non-tidal water level variations <i>(I)</i>	Evaluate the effect of non-tidal influences on water levels in the conduct of a hydrographic survey.	(i) Changes in water level caused by: atmospheric pressure, wind, seiches, ocean temperature and precipitation. (ii) Water level variations occurring in inland waters. (iii) Water level variations in estuaries, wet lands and rivers
H5.2 Water level measurements		
H5.2a Water level gauges <i>(A)</i>	Select appropriate type of water level gauge technology according to survey project operations.	(i) Principles of operation of various types of water level gauges including pressure (vented and unvented), GNSS buoys, float, radar, acoustic sensors and tide poles.

	Install, level to a vertical reference, and calibrate a water level gauge while evaluating sources of errors and applying appropriate corrections.	(ii) Installing gauges, establishment and levelling of associated survey marks (iii) Determination of tide correctors from water level observations (iv) Networks of water level gauges
H5.2b Tidal measurement (A)	Evaluate and select appropriate sites for water level monitoring. Select water level gauge parameters for logging data, data communication, data download and for network operation with appropriate quality control measures.	(v) Use of satellite altimetry in determining water levels (vi) Uncertainties associated with water level measurement devices (vii) Uncertainties associated with duration of observations. (viii) Uncertainties associated with spatial separation of water level measurements.
H5.2c Uncertainty in water level (I)	Assess and quantify the contribution of water level observations to uncertainties in survey measurements. Assess the uncertainty in water level observations due to duration of observations and distance from water level gauge.	
H5.3 Tide modelling		
H5.3a Harmonic analysis (I)	Compute standard harmonic constituents from astronomical periods. Derive harmonic coefficients and residuals from times series observations using Fourier analysis. Describe the computation of tide tables from harmonic coefficients. Compare the tidal characteristics and residuals of two tide stations using harmonic analysis.	(i) Harmonic constituents from astronomical periods (ii) Harmonic coefficients and residuals. (iii) Water level time series observations (iv) Fourier series and Fourier analysis (v) Tide tables and tide prediction
H5.3b Ocean water level (B)	Describe ocean water level models and observation methods.	(i) Earth tide (ii) Harmonic astronomic component (iii) Oceanographic components (iv) Meteorological component. (v) Satellite altimetry
H5.4 Ellipsoid separation models and vertical datums		
H5.4a Separation models (I)	Explain the relationship between geoid, ellipsoid, and chart datum. Apply relevant offsets to convert between datums	(i) Single-point and regional models (ii) Principle of Separation surface construction (iii) Ellipsoid to Chart Datum separation models
H5.4b Vertical Datums (A)	Select, establish, interpolate and transfer a vertical datum in various environments.	(iv) Tidally defined vertical datums components, including LAT, HAT, MSL, etc... (v) Chart Datum and sounding datum

H5.4c Sounding reduction (A)	Reduce ellipsoidal referenced survey data to a water level datum using an appropriate separation model with an appreciation for associated uncertainty. Apply tide correctors to reduce survey soundings to a chart datum.	(vi) Geoid as a reference surface (vii) Datums in oceans coastal waters, estuaries, rivers and lakes (viii) Interpolation of datums between water level stations (ix) Reduction of survey data to a datum
H5.5 Currents		
H5.5a Tidally induced currents (B)	Explain the forces behind tidally induced currents and describe temporal variations. Differentiate between tidal and non-tidal current.	(i) The relationship between currents and tides (ii) Rectilinear and rotary tidal currents (iii) current meters, (iv) acoustic current profilers (v) Drogues
H5.5b Current measurement, portrayal and surveys (I)	Select, use techniques and instruments for current measurement. Plan current surveys. Use appropriate methods for processing and displaying current data.	(vi) Surface current radar observation (vii) Static and mobile current measurements (viii) Current surveys (ix) Portraying current data
H6 : Hydrographic Data Acquisition and Processing		
Element	Learning outcomes	Content
H6.1 Real-time data acquisition and control		
H6.1a Hydrographic Data acquisition (A)	Define, configure and validate a complex survey suite for different types of surveys in accordance with technical specification. Specify and configure communication interfaces between survey devices and system components.	(i) Integration of data from various sensors in accordance with survey specifications to include equipment such as: <ul style="list-style-type: none"> • Echo-sounder (SBES, MBES) • Terrestrial and airborne LiDAR • Sound velocity profiler, surface velocity probe • Side-scan sonar • Surface positioning system • IMU / INS • Subsea positioning system (USBL) • ROVs and AUVs
H6.1b Real-time data monitoring (A)	Evaluate performance of an integrated survey system against survey specifications using quality control methods and address deficiencies using troubleshooting methods. Identify type and sources of system errors and undertake system analysis.	(ii) Data acquisition system and software (iii) Time-tagging (iv) Data visualization (v) Data quality control methods (vi) Types and sources of errors (vii) System errors identification methods
E6.1c Survey data storage and transfer	Export survey data to databases and analysis tools taking account of different data formats.	(i) Content of files in different formats used to record data in survey planning, data acquisition and products. (ii) Multiple data types

(A)	Employ data storage strategies to facilitate survey data flow. Populate and maintain metadata associated with different data types and products.	(iii) Storage requirements (iv) Proprietary vs. standard data format (v) Metadata (vi) Organization of survey databases.
H6.2 Bathymetric data filtering and estimation		
H6.2 a Filtering and estimation of single beam data (A)	Identify and remove outliers and validate data cleaning and other decisions made in processing single beam data. Interpret and resolve systematic errors detected during data processing Perform time series analysis of data from multiple sensors to detect artefacts and other errors that may exist in a survey dataset. Specify additional coverage and associated survey parameters to resolve shortcomings in survey data.	(i) Data cleaning techniques (manual and automated) (ii) Identification of outliers (iii) Identification and classification of systematic errors (iv) Total propagated uncertainty - horizontal (v) Total propagated uncertainty - vertical (vi) Comparing crossing data between survey lines (vii) Comparing overlapping data between platforms (viii) Assessing coverage in relation with contour lines and features
H6.2b Filtering and estimation of multi-beam data (A)	Identify and remove outliers and validate data cleaning and other decisions made in processing multi-beam data. Interpret and resolve systematic errors detected during data processing Perform time series analysis of data from multiple sensors to detect artefacts and other errors that may exist in a survey dataset. Assess processed data for coverage and quality, and specify remedial surveys.	(i) Data cleaning techniques (manual and automated) (ii) Identification of outliers (iii) Identification and classification of systematic errors (iv) Total propagated uncertainty - horizontal (v) Total propagated uncertainty - vertical (vi) Comparing crossing and adjacent data between survey lines (vii) Comparing overlapping data between platforms
H6.2c Spatial data quality control (A)	Differentiate between relative and absolute uncertainties. Estimate and compare uncertainties through the use of different spatial and temporal datasets. Define procedures used to assess and accept or reject data.	(i) A posteriori and a priori total propagated uncertainty (horizontal and vertical) (ii) Primary and secondary survey sensors used for quality control (iii) Relative and absolute uncertainties

H6.2d Spatial data interpolation (I, A)	Choose an appropriate interpolation method and compute a surface from sparse survey measurements. (I) Select appropriate spatial data processing methods to create digital terrain models or gridded surfaces and contouring. (A)	(i) 1D polynomial interpolation (ii) Interpolating splines, B-Splines, multi-dimensional splines (iii) Spatial interpolation by inverse distance and Kriging (iv) Grids and TIN construction from spatial data (v) Contouring techniques
H6.2e Spatial data representation (I, A)	Apply estimation procedures to survey measurements to represent data according to survey product requirements. (I) Select optimal parameters for data representation. (A)	(i) Point Clouds (ii) Surface models (iii) Raster and vector data (iv) Spatial resolution (v) Data resolution (vi) Horizontal scale and vertical exaggeration (vii) Volume computations (viii) Profiles
H7 : Management of Hydrographic Data		
Element	Learning outcomes	Content
H7.1 Data organization and presentation		
H7.1a Databases (I)	Explain the concepts of relational and spatial databases. Conceptualize, develop, and populate a spatial database to represent hydrographic survey elements and define relationships between those elements.	(i) Relational databases (ii) Spatial databases (iii) Databases to hold different types of feature and geographical information
H7.1b Marine GIS basics (B)	Identify the data types that might be used to represent features from the marine environment considering the attribute that might be associated with such features. Create a GIS project using marine spatial data. Perform spatial processing on marine data sets including datum and projection transformations.	(i) Features and feature types of point, line and polygon with marine examples. (ii) Marine and coastal data bases (iii) Datums and projections (iv) Vertical datums (v) Survey metadata (vi) Base maps and images
H7.2 Marine data sources and dissemination		
H7.2a MSDI (B)	Describe the role of hydrographic data in Marine Spatial Data Infrastructures.	(i) Basic concept of MSDI (ii) Importance and role of data standards (iii) The value and benefit of good metadata (iv) Data exchange and sharing
H7.2b Open access marine data (B)	Distinguish between types and sources of data as a measure of reliability and utility.	(i) Open access databases including GEBCO (ii) Marine data portals (iii) Data reliability from web sources (iv) Crowd-sourced data

H7.3 Spatial data integration and deliverables		
H7.3a Spatial data integration <i>(I)</i>	Integrate data from multiple sources and sensor types in the conduct of a multi-sensor survey.	(i) Tools and method for integration and comparison of hybrid data sets (ii) Co-registration of hybrid data sets
H7.3b Spatial data visualisation <i>(A)</i>	Evaluate and select the best visualization method to highlight features of interest and quality-control a hydrographic data set.	(i) Use of color schemes (ii) Shading and illumination (iii) Vertical exaggeration (iv) Standards
H7.3c Deliverables <i>(A)</i>	Describe hydrographic deliverables and produce paper products as well as digital products in accordance with specifications and standards. Prepare a report on a hydrographic survey.	(i) Products provided directly from source data such as sounding data files and metadata. (ii) Feature databases such as wrecks, rocks and obstructions (iii) Data required for sailing directions, light lists, radio aids to navigation, port guides and notices to mariners. (iv) Digital and paper products derived from source data for various survey types and usage such as GIS and CAD files and/or geo-referenced images. (v) Reports on quality control, procedures, results and conclusions detailing processes adopted within survey operations and data processing. (vi) Standards including: <ul style="list-style-type: none"> • IHO S-100, and product standards such as S-102. • Standard Seabed Data Model (SSDM).
H8 : Legal Aspects		
Element	Learning outcomes	Content
H8.1 Product liability		
H8.1a Responsibilities of the hydrographic surveyor <i>(B, I)</i>	Detail the role and responsibilities of the hydrographic surveyor as required under industrial standards and national/international legislation/conventions. <i>(B)</i> Identify the sources of ethical guidance and discuss ethical considerations when dealing in a professional capacity with client and contracts. <i>(I)</i> Discuss the potential liability of the hydrographic surveyor in common hydrographic endeavors. <i>(I)</i>	(i) Nautical charts. (ii) Notice to mariners. (iii) Survey notes and reports. (iv) Fundamentals of professional liability relating to surveying (v) Professional ethics relating to commercial and government projects (vi) Legal issues and liability associated with hydrographic equipment and products.

<p>H8.1b Contracts</p> <p>(I)</p>	<p>Develop the technical content of an invitation to tender.</p> <p>Analyze the risk and develop the technical content of a response that would include details and cost of necessary resources.</p> <p>Interpret contractual obligations in terms of survey planning, execution and deliverables.</p>	<p>(i) Invitation to tender and survey work specifications</p> <p>(ii) Response to tender</p> <p>(iii) Contractual obligations and insurance</p> <p>(iv) Survey work and deliverables</p>
<p>H8.2 Maritime zones</p>		
<p>H8.2a Delimitations</p> <p>(B)</p>	<p>Define the types of baselines under UNCLOS and how the territorial sea limit and other limits are projected from them, including the use of low tide elevations.</p> <p>Conduct and document surveys with appreciation for the type of baselines and the implication of the baselines.</p> <p>Describe the legal operational constraints that apply within maritime zones.</p>	<p>(i) Historical development of 1982 UNCLOS Baselines – normal (including closing lines); straight and archipelagic</p> <p>(ii) Base points</p> <p>(iii) Baselines</p> <p>(iv) Internal waters.</p> <p>(v) Territorial seas.</p> <p>(vi) Contiguous zones.</p> <p>(vii) Exclusive Economic Zone</p> <p>(viii) Extended continental shelf.</p> <p>(ix) High seas</p>
<p>E8.2b Impact of surveys</p> <p>(I)</p>	<p>Specify appropriate procedures and limitations for use of surveying equipment in compliance with environmental laws and marine protected area regulations.</p>	<p>(i) Vessel speed restrictions and permanent and temporary threshold shifts (hearing) and harassment levels for marine mammals.</p> <p>(ii) Limitation of use of physical techniques such as bottom sampling and moorings in environmentally sensitive areas.</p> <p>(iii) Respect for cultural traditions in relation to use of the environment</p> <p>(iv) Marine protected areas</p>

CMFP : COMPLEX MULTIDISCIPLINARY FIELD PROJECT

Submissions should include the following information to demonstrate that a programme provides for a minimum aggregate period of **at least four weeks**, supervised and evaluated Complex Multidisciplinary Field Project (Section. 4.2 of the “GUIDELINES FOR THE IMPLEMENTATION OF THE STANDARDS OF COMPETENCE FOR HYDROGRAPHIC SURVEYORS”).

The Complex Multidisciplinary Field Project for Category "A" level shall comprise a comprehensive field survey incorporating different aspects of hydrography in a complex environment with varying sea-floor and oceanographic conditions.

Students should undertake:

- Survey specification and planning;
- Hydrographic and oceanographic measurements using a comprehensive suite of instruments;
- Data processing, quality control and quality assurance ;
- Preparation of different type of product deliverables and reports.

Note: The Complex Multidisciplinary Field Project does not include the practical exercises that form a part of the course modules syllabi and are designed to complement the theory component (Section 4.1 of the “GUIDELINES FOR THE IMPLEMENTATION OF THE STANDARDS OF COMPETENCE FOR HYDROGRAPHIC SURVEYORS”).

THE FOLLOWING TABLE **MUST** BE COMPLETED AND SUBMITTED IN ADDITION TO A DETAILED AND COMPREHENSIVE NARRATIVE DESCRIPTION OF THE FINAL FIELD PROJECT MODULE:

- Learning outcomes, content and assessment must be described in order to reflect the different activities and objectives of the final project.
- For each task, the number of Theory and Practical contact hours and Self Guidance hours must be provided.
- A reference of activities and tasks of the comprehensive final field project to the related Essential subject must be provided.

Note: Hours referenced in the following table are also to be included in the cross-reference table under appropriate elements.

CMFP: Complex Multidisciplinary Field Project							
Tasks:	Related Foundational or Hydrographic Science subject	Content	Learning outcomes	Module and related content	Hours		
					T	P	SG
Planning							
Preparation							

Acquisition							
Processing							
Deliverables							
Reports							
				Total			